

INDEX MAPS.

T. 9 N. R. 9 E. 2nd Mer.

	142	142	141	141	141	141						
144	6	165	5	159	4	156	3	152	2	148	1	140
	165		164		157		155		152		148	
144	7	164	8	159	9	155	10	151	11	148	12	140
	164		163		158		155		151		147	
144	18	163	17	158	16	154	15	151	14	147	13	140
	163		162		158		154		151		147	
143	19	162	20	157	21	154	22	150	23	146	24	139
	162		161		157		153		150		146	
143	30	161	29	157	28	153	27	149	26	146	25	139
	161		160		156		153		149		145	
142	31	160	32	156	33	152	34	149	35	145	36	139
	158		138		138		137		137		137	

T. 10 N. R. 9 E. 2nd Mer.

	173		172		172		172		171		171	
175	6	196	5	190	4	186	3	183	2	179	1	177
	195		195		190		186		182		178	
174	7	195	8	190	9	186	10	182	11	178	12	170
	194		194		189		185		181		178	
174	18	194	17	189	16	185	15	181	14	177	13	170
	193		193		189		185		181		177	
174	19	193	20	188	21	184	22	180	23	176	24	169
	192		192		188		184		180		176	
173	30	192	29	188	28	184	27	180	26	176	25	169
	191		191		187		183		179		175	
173	31	191	32	187	33	183	34	179	35	175	36	168
	168		168		167		167		167		167	

(F) The figures on the lines refer to the page.

Township N. 9 North, Range N. 9 East 2. Mer. Ind.^a 137
Ch. 2. Ch.

South Boundary

Met On S. boundary of Sec. 36

11.35 a Brook 5 ft. wide Comae S. W.

31.62 a Beech 18 mi. dist.

40.00 Let of Sec. post, from which

a Beech 10 mi. dist. bearing N 55° W 24 Ch. dist. of

a Do. 10 " " " N 15° W 12 " "

80.00 Let post Cor. to Sect. 35 of 36, from which

a Maple 8 mi. dist. bearing N 11° E 6 Ch. dist. of

a Do. 13 " " " N 40° W 20 " "

Land level, timber Beech, Oak, Hickory, Maple &c

Met On S. boundary of Sec. 35

8.22 Intersected Indian Bound. Let post, from which

a Beech 14 mi. dist. bearing N 32° E 9 Ch. dist. of

a Maple 20 " " " N 78° E 9 " "

(This distance) Land &c. Same as on last mile
December 4th 1806. John Brownson, U. S.

40.00 Let of Sec. post, from which

a Beech 8 mi. dist. bearing N 88° E 13 Ch. dist. of

a Do. 12 " " " N 67° W 2 " "

61.42 a W. Oak 24 " "

80.00 Let post Cor. to Sect. 34 of 35, from which

a Do. 15 mi. dist. bearing N 75° W 12 Ch. dist. of

a Do. 24 " " " N 54° E — " "

Level land, timber Beech, Oak, Sugar, Maple
&c. under 7th Spruce.

Met On S. boundary of Sec. 34

3.00 enter fallen timber S. W.

40.00 Let of Sec. post, from which

a Do. 9 mi. dist. bearing N 66° E 20 Ch. dist. of

a Sugar 15 " " " N 77° W 20 " "

58.16 a Beech 24 " "

80.00 Let post Cor. to Sect. 33 of 34, from which

a Do. 15 mi. dist. bearing N 80° E 11 Ch. dist. of

Twp. 19 E. 2^d Mer. Indiana

ch. 2. lks

a Beech 8 mi. dist. from N 38 W 14 lks. dist. of
 level, Beech, Elm, Gum, Hickory, Oak
 &c. under the Spruce &c.

West On S. boundary of Sec. 33

9.85 a Beech 24 mi. dist.

33.24 a do. 24 " "

40.00 Let go Sec. post, from which
 a Beech 12 mi. dist. from N 66 W 18 lks. dist. of
 a do. 8 " " " N 80 E 13 " "

80.00 Let post Co. to Sec. 32 of 33 from which
 a Beech 8 mi. dist. from N 6 E 20 lks. dist. of
 a do. 8 " " " N 29 E 27 " "
 Rolling land, timber Beech, Sugar, Poplar &c.
 under the Spruce &c.

West On S. boundary of Sec. 32

3.00 a Creek 40 lks. wide Course S.

40.00 Let go Sec. post, from which
 a Beech 6 mi. dist. from N 45 E 7 lks. dist. of
 a do. 5 " " " N 15 W 11 " "

56.37 a Beech 30 " "

59.00 a Creek 100 lks. wide Course S.

80.00 Let post Co. to Sec. 31 of 32, from which
 a Beech 6 mi. dist. from N 61 E 15 lks. dist. of
 a do. 18 " " " N 43 W 3 " "
 Broken land soil good, Beech, Ash, Poplar &c.
 under the Spruce, Larch &c.

West On S. boundary of Sec. 31

40.00 Let go Sec. post, from which
 a Beech 24 mi. dist. from N 11 W 15 lks. dist. of
 a do. — " " " N 51 W 11 " "

66.10 a Creek 30 lks. wide Course S. W.

87.60 Intersected Town Corner. Over level land
 good soil, timber Beech, Poplar, Sugar,

Sgt Rg E. I. Mer. Indiana 139
Ch. Lh.
ash &c. under ^r. Office &c. June 11th. 1819
John M^c. Donald, D. S.

East Boundary

North On E. boundary of Sec. 36

- 7.95 a Brook 6 lks. wide Cr. E.
40.00 Let q^r. Sec. post, from which
a Beech 16 in. dia^r. bears N 11 W 32 lks. dist. &
a Do. 7 " " " S 13 E 21 " "
58.30 Intersected in ^r. boundary, let post, from which
a Maple 12 in. dia^r. bears N 45 W 26 lks. dist. &
a Beech 14 " " " S 68 E 18 " "
Land level Oak, Beech, Hickory, ash, Poplar &c.
December 4th. 1806, John Brownson, D. S.
From Boundary line
22.00 Let post Cor. to Sec. 25 of 36, from which
a Beech 10 in. dia^r. bears S 48 W 11 lks. dist. &
a Do. 6 " " " S 29 W 34 " "
Level land timber as above
-

North On E. boundary of Sec. 25

- 40.00 Let q^r. Sec. post, from which
a Beech 9 in. dia^r. bears N 7 W 11 lks. dist. &
a Do. 18 " " " S 47 E 28 " "
80.00 Let post Cor. to Sec. 24 & 25, from which
a Beech 24 in. dia^r. bears N 15 W 11 lks. dist. &
a Do. 15 " " " S 7 E 29 " "
Over level wet Beech Land
-

North On E. boundary of Sec. 24

- 40.00 Let q^r. Sec. post, from which
a Beech 24 in. dia^r. bears N 7 E 28 lks. dist. &
a Do. 10 " " " S 43 E 11 " "
53.50 a Brook 10 lks. wide Course S. W.
80.00 Let post Cor. to Sec. 13 & 24, from which
a Beech 16 in. dia^r. bears S 39 E 7 lks. dist.

T9 N R9 E. 2nd Mer. Indianachth

a Beech 13 in. dia. bears S50 W5 1/2 lb. dist.
Over level wet land timber Beech Poplar &c.
undergrowth Spice &c.

North On E. boundary of Sec. 13

40.00 Set gr. Sec. post, from which
an Ash 24 in. dia. bears N61 W6 lb. dist. of
a Beech 14 " " " S29 E17 "
80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 18 in. dia. bears N43 E7 lb. dist. of
a Gum 28 " " " N5 E17 " "
Over level wet land, Beech, Gum &c.

North On E. boundary of Sec. 12

38.30 a Creek 20 lb. wide Course S.W.
40.00 Set gr. Sec. post, from which
a Beech 18 in. dia. bears N72 E5 lb. dist. of
a Do. 8 " " " S71 W10 "
80.00 Set post Cor. to Sec. 11 of 12, from which
a Sugar 12 in. dia. bears N34 W2 lb. dist. of
a Beech 10 " " " S74 E14 "
Over rolling land, timber Sugar, Beech,
Poplar &c. undergth Spice

North On E. boundary of Sec. 1

26.80 a Creek 50 lb. wide run S.W.
34.80 a Brook 15 " " " S.W.
40.00 Set gr. Sec. post, from which
a Beech 14 in. dia. bears S55 E12 lb. dist. of
a Do. 12 " " " N86 E9 "
80.00 Set post Cor. to Township 9 of 10 North,
Range 9 of 10 East, from which
a Beech 14 in. dia. bears N89 W7 lb. dist. of
a Sugar 20 " " " S27 W43 "
Over rolling land, timber Beech, June 9th 1819

T9 N R9 E. 2^d. Mer. Indiana ¹⁴¹

ch. lth

North Boundary

West On S. boundary of Sec. 36, T9 N R9 E.

- 6.00 a Brook 4 lth. wide Course S.
 23.00 a Do 4 " " " S.
 40.00 Let q. Sec. post, from which
 at Beech 9 m. dist. by S 68 W 16 lth. dist. of
 a Do. 10 " " " N 78 E 19 " "
 42.10 a Branch 3 lth. wide Course S. E.
 72.20 a Do. 5 " " " S.
 80.00 Let post Cor. to Sec. 35 of 36, from which
 at Beech 13 m. dist. by S 21 W 15 lth. dist. of
 a Dogw. 8 " " " N 67 E 4 " "
 Over good land

West On S. boundary of Sec. 35, T9 N R9 E.

- 40.00 Let q. Sec. post, from which
 at Beech 16 m. dist. by S 88 E 28 lth. dist. of
 a Do. — " " " N 45 E 5 " "
 80.00 Let post Cor. to Sec. 34 of 35, from which
 a Poplar 50 m. dist. by N 45 E 12 lth. dist. of
 a Beech 6 " " " N 67 W 11 " "
 (Description Omitted)

West On S. boundary of Sec. 34, T9 N R9 E

- 25.19 a Brook 4 lth. wide Course S.
 40.00 Let q. Sec. post, from which
 at Beech 10 m. dist. by N 18 W 12 lth. dist. of
 a Do. 7 " " " S 2 E 19 " "
 56.00 a Brook 5 lth. wide Course N.
 72.50 a Do. 3 " " " N W.
 80.00 Let post Cor. to Sec. 33 of 34, from which
 a ——— 12 m. dist. by S 88 E 15 lth. dist. of
 an Elm 8 " " " S 85 E 45 " "
 Over rolling land, timber Beech, Poplar &c.

West On S. boundary of Sec. 33, T9 N R9 E.

142

T9 N. R9 E. 2^d Mer. Indianach. 2^d lth.

- 16.50 a Brook 4 lth. wide Course S. W.
 40.00 Let of Sec. post, from which
 a Beech 8 in. dia. - bay S 50 E 23 lth. dist. of
 a dogwood 4 " " " S 59 W 21 " "
 80.00 Let post Cor. to Sec. 32 of 33, from which
 a Beech 15 in. dia. - bay S 71 W 16 lth. dist. of
 a do. 11 " " " S 6 E 11 " "
 Over broken land, timber Beech, Oak &c.

West On S. boundary of Sec. 32, T10 N. R9 E.

- 28.20 a Creek 100 lth. wide Course S. W.
 31.70 a do 30 " " " S. E.
 40.00 Let of Sec. post, from which
 a Blue Ash 14 in. dia. - bay N 9 E 12 lth. dist. of
 a Beech 22 " " " S 54 W 29 " "
 80.00 Let post Cor. to Sec. 31 of 32, from which
 a Beech 20 in. dia. - bay S 54 W 19 lth. dist. of
 a Sugar - " " " S 49 E 16 " "
 Over rolling land, timber Beech, Sugar,
 Poplar &c. undergth Spruce

West On S. boundary of Sec. 31, T10 N. R9 E.

- 40.00 Let of Sec. post, from which
 an Oak 4 in. dia. - bay N 31 W 7 lth. dist. of
 an Ironw. 3 " " " S 3 E 7 " "
 86.39 Intersected the N of S. line at Corner of
 Town 9 of North - Range 8 of 9 East
 Over rolling land, timber Oak, Beech,
 Sugar &c. undergth Spruce. June 10th 1819

West Boundary. var. 6° 15' E.

North On E. boundary of Sec. 36, T9 N. R8 E

- 10.50 a Branch 6 lth. wide Course S. E.
 28.50 a Beech 24 in. dia.
 40.00 Let of Sec. post, from which
 a Beech 12 in. dia. - bay N 21 W 13 lth. dist. of

143

Sgt. R. G. E. 2^d Mer. Indiana

ch² lth a Sugar 5 mi. dist. by S 21 E 25 lth. dist. of
 62.25 an Ash 24 " " "
 80.00 Let post Cor. to Sec. 25 of 36, from which
 a Sugar 14 mi. dist. by S 29 W 13 lth. dist. of
 a Beech 12 " " " S 75 E 9 " "
 Level rich land, Sugar, Beech, Poplar
 Walnut &c. underg^d. Spruce & Pawpaw

North On E. boundary of Sec. 25, Sgt. R. 28 E.

7.00 at Beech 30 mi. dist.
 38.50 at Branch 6 lth. wide Course W.
 40.00 Let q^r. Sec. post, from which
 a Sugar 10 mi. dist. by N 64 E 7 lth. dist. of
 a Do. 8 " " " S 51 1/2 W 23 " "
 50.00 at Branch 4 lth. wide Cr. S. W.
 52.85 a Beech 18 mi. dist.
 78.00 at Branch 4 lth. wide Cr. S. W.
 80.00 Let post Cor. to Sec. 24 of 25, from which
 a Beech 12 mi. dist. by S 31 W 21 lth. dist. of
 a Do. 18 " " " N 78 E 16 " "
 Level rich land, Poplar, Sugar, Beech &
 underg^d. Spruce & Pawpaw

North On E. boundary of Sec. 24, Sgt. R. 28 E.

15.00 an Oak 18 mi. dist.
 27.00 a Branch 4 lth. wide Course S. W.
 37.16 a Poplar 54 mi. dist.
 40.00 Let q^r. Sec. post, from which
 a Beech 6 mi. dist. by N 55 E 11 lth. dist. of
 a Do. 8 " " " S 61 E 21 " "
 54.50 a Branch 20 lth. wide Course S. W.
 63.48 a Do. 15 " " " S. W.
 65.50 a Beech 20 mi. dist.
 80.00 Let post Cor. to Sec. 13 of 24, from which
 a Beech 8 mi. dist. by S 71 W 20 lth. dist. of
 a Sugar 18 " " " N 70 W 20 " "

144

S 9 N. R 9 E. 2nd Mer. Indiana
ch² lby
Rolling land rich soil, Sugar, Beech, Poplar,
Walnut &c. sundry^r. Spice prairie &c.

North On E. boundary of Sec. 13, S 9 N. R 8 E.

11.24 a Beech 18 in. dia^r.

24.50 a Branch 8 lby, wide Course S.W.

36.04 a Beech 20 in. dia^r.

40.00 Set q^r. Sec. post, from which
a Beech 8 in. dia^r. brang S 78° W 10 lby, dist. of
a Do 8 " " " " S 9 E 24 " "

60.90 an Ash 24 " "

80.00 Set post Cor. to Sec. 12 of 13, from which
a Beech 10 in. dia^r. brang S 52° W 8 lby, dist. of
an Ash 18 " " " " S 50° W 7 " "
Land timber &c. same as on last mile

North On E. boundary of Sec. 12, S 9 N. R 8 E

1.08 a Lye amow 30 in. dia^r.

6.00 a Branch 10 lby, wide Course S.W.

19.90 a Beech 15 in. dia^r.

40.00 Set q^r. Sec. post, from which
a Beech 4 in. dia^r. brang S 79° E 18 lby, dist. of
a Do. 6 " " " " S 47° W 19 " "

55.00 a Branch 4 lby, wide Cr. S.W.

60.25 an Ash 24 in. dia^r.

80.00 Set post Cor. to Sec. 1 of 12, from which
a Beech 3 in. dia^r. brang S 66° E 30 lby, dist. of
an Iron 5 " " " " S 30° W 11 " "

Land 2nd rate, timber Poplar, Sugar, Ash &c.
Soil good

North On E. boundary of Sec. 1, S 9 N. R 8 E

3.00 a Branch 4 lby, wide Course N

29.20 a Locust 30 in. dia^r.

38.00 a Branch 4 lby, wide Course S.W.

40.00 Set q^r. Sec. post, from which

145

Sgt. N. C. E. 2^d. Mer. Indiana

at Beech 15 m. dist. from NW 19th dist. of
 a do. 8 " " S 36 E 17 "
 70.88 At post Cor. to Township 9 of 10 North, Range
 8 of 9 East, from which
 a Beech 20 m. dist. from N 37 E 9th dist. of
 a do. 6 " " S 11 E 11 "
 Level land, timber Beech, Sugar, Poplar,
 underg^d. Spruce, hemlock &c. good soil
 June 12th 1819
 Surveyed By John McDonald,
 Asst. Surveyor

Subdivision var. E. 30' E

North Between Sect. 35 & 36

5.37 Intersected Indian Boundary. At post, from which
 a W. Oak 24 m. dist. from S 38 W 25th dist. of
 a do. 30 " " S 85 E 24 "
 Land level, timber Oak, Poplar, Gum, Beech &c
 Middling farming land - var 5.00' E.
 January 29th 1807, James Sisson, L.S.
 14.62 at Beech 12 m. dist.
 34.63 At 1/2 Sec. post, from which
 a Beech 6 m. dist. from S 51 E 7th dist. of
 a do. 5 " " " S 62 W 18 "
 44.00 enter fallen timber
 74.63 At post Cor. to Sect. 25, 26, 35 & 36, from which
 a Beech 10 m. dist. from S 24 E 24th dist. of
 a do. 12 " " " S 14 E 12 "
 Open flat wet land in fallen timber, Beech,
 Gum, Maple, Ash, Oak &c. underg^d. Beech, Dogwood?

East On Rand^m. between Sect. 25 & 36

40.00 At 1/2 Sec. post

80.15 Intersected E. boundary 30th m. S. of post
 Land timber &c. same as last mile

146

Sgt RGE. D. Mer. Indiana

ch. 11/2

West Connected between Secs. 25 & 26

40.07 Set of Sec. post at average dist. ^{on true line}
in thicket of small bushes, no bearing trees

80.15 to Section Corner

North Between Secs. 25 & 26

5.00 left fallen timber

25.25 a Beech 18 in. dia.

40.00 Set of Sec. post, from which
a Beech 7 in. dia. bears S 10 E 16 lks. dist. &
a Gum 16 " " " N 20 W 9 " "

57.50 a Maple 20 " "

80.00 Set post Cor. to Secs. 23, 24, 25 & 26, from which
a Beech 12 in. dia. bears S 31 E 22 lks. dist. &
a Do. 5 " " " N 19 W 21 " "
flat wet Land 3rd rate Beech, Hickory, Gum,
Maple &c. undergrowth Small Beech Spice &c.

East On Random between Secs. 24 & 25.

40.00 Set temp. of post

80.06 Intersected the E. boundary 21 lks. S. of post.
flat wet Land timber same as last mile

West Connected between Secs. 24 & 25

40.03 Set of Sec. post, at average dist. from which
a Beech 14 in. dia. bears S 28 W 29 lks. dist. &
a Do. 12 " " " N 20 E 5 " "

80.06 to Section Corner

North Between Secs. 23 & 24

25.25 a Sugar 12 in. dia.

40.00 Set of Sec. post, from which
a Beech 20 in. dia. bears S 48 E 27 lks. dist. &
a Do. 14 " " " N 70 W 24 " "

64.10 a Beech 30 " "

80.00 Set post Cor. to Secs. 13, 14, 23 & 24, from which

chth *Sgt R. E. D. Mer. Indiana* 147

a Beech 12 in. dia. bears S 4 E 46 lbs. dist. 4
 a No. 12 " " " N 28 W 27 "
 Beech Gum Poplar Hickory undergrowth
 Dogwood Ironwood Spice, Level 3rd rate Land

East On Random between Sect. 13 & 24

40.00 Set temp. of. Sec. post

79.76 Intersected the E boundary 68 lbs. S. of post
 flat wet land - Beech Gum W. Elm Maple &c.
 Small Beech Spice Dogwood &c.

West Connected between Sect. 13 & 24

39.88 Set of. Sec. post, at average dist. from which
 a W. Oak 24 in. dia. bears S 71 W 12 lbs. dist. 4
 a Beech 12 " " " S 45 E 20 " "

79.76 to Section Corner

North Between Sect. 13 & 14

24.35 a Beech 12 in. dia.

40.00 Set of. Sec. post, from which
 a Beech 14 in. dia. bears S 37 W 16 lbs. dist. 4
 a No. 15 " " " S 71 E 21 " "

50.90 a Beech 15 " "

80.00 Set of post Cor. to Sect. 11, 12, 13 & 14, from which
 a Beech 10 in. dia. bears N 38 E 2 lbs. dist. 4
 a No. 10 " " " S 61 W 44 " "
 Land timber &c. same as last mile

East On Random between Sect. 12 & 13.

40.00 Set temp. of. Sec. post

79.90 Intersected the E. boundary 64 lbs. S. of post.
 Land timber &c. same as on last mile

West Connected between Sect. 12 & 13

39.95 Set of. Sec. post, at average dist. from which
 a Beech 5 in. dia. bears N 59 W 43 lbs. dist. 4

T9N R9E 2^d Mer. Indiana
ch. l. h.

a Beech 4 in. dia. bears S 25 E 10 lks. dist.
 79.90 to Section Corner

North Between Secs. 11 & 12

20.00 a Beech 18 in. dia.

35.00 cropt S. fork of Sand Creek 40 lks. wide Course S. 50 W.

40.00 Set q. Sec. post. from which

a Beech 30 in. dia. bears N 70 W 39 lks. dist. &

a Do. 24 " " " S 51 E 25 " "

63.27 a Beech 24 " "

80.00 Set post Cor. to Secs. 12, 11 & 12, from which

a Beech 4 in. dia. bears S 23 E 2 lks. dist. &

a Do. 3 " " " N 13 W 25 " "

Hilly 3^d rate Land Beech Oak Poplar &c.
 undergrowth Dogwood Spice.

East On Random between Secs. 1 & 12

40.00 Set temp. q. Sec. post

44.50 cropt S. fork of Sand Creek Course S. 24 W.

80.10 Intersected the E. boundary 34 lks. N. of post.

Broken 3^d rate - timber Lane as last. Mile

West Corrected between Secs. 1 & 12

35.60 cropt Sand Creek -

40.05 Set q. Sec. post. at average dist. from which

a Beech 7 in. dia. bears N 6 E 13 lks. dist. &

a Do. 30 " " " S 15 W 26 " "

80.10 to Section Corner

North Between Secs. 1 & 2

25.85 a W. Ash 18 in. dia.

40.00 Set q. Sec. post. from which

a Beech 30 in. dia. bears South 16 lks. dist. &

a Do. 11 " " " N 32 E 14 " "

70.90 a B. Walnut 36 in. dia.

82.39 Intersected the N. boundary 60 lks. W. of post

Sgt R E. 2^d Mer. Indiana 149

Ch. by

Set post Cor. to Sect. 1 & 2, from which
a Beech 2 in. dia. bears S 64 E 12 lb. dist. &
a No. 9 " " " N 44 W 18 " "
Hilly 3^d rate Land timber same as last mile

North Between Sect. 34 & 35

5.00 Enter fallen timber

35.00 left fallen timber

40.00 Set q. Sec. post, from which
a Beech 11 in. dia. bears S 83 W 20 lb. dist. &
a No. 9 " " " S 55 W 10 " "

66.80 a Poplar 2 1/2 " "

80.00 Set post Cor. to Sect. 26, 27, 34 & 35, from which
a Beech 8 in. dia. bears S 39 E 10 lb. dist. &
a No. 30 " " " N 67 W 11 " "
level wet Land timber &c. same as last mile

East On Prandom between Sect. 26 & 35

40.00 Set temp. q. Sec. post

63.00 Enter fallen timber

83.16 Intersected the N. & S. line 83 lb. N. of post
(Description of Land &c. Omitted)

West Connected between Sect. 26 & 35.

41.58 Set q. Sec. post at average dist. from which
a Beech 10 in. dia. bears S 16 E 9 lb. dist. &
a No. 12 " " " S 73 W 17 " "

83.16 to Section Corner

North Between Sect. 26 & 27

26.40 a Beech 12 in. dia.

40.00 Set q. Sec. post, from which
In a thicket
no bearing trees

60.70 a Beech 10 in. dia.

80.00 Set post Cor. to Sect. 22, 23, 26 & 27, from which

Sgt R. E. D. Mer. Indiana ch. 117

a Beech 7 in. dia. bears ——— lth. dist. 5
 a W. Elm 14 " " " " " "
 Broken 3rd rate land very bushy Beech Hickory,
 Oak &c. Dogwood Sassafras Beech &c.

East On Random between Secs. 23 & 26

40.00 Set temp. of Sec. post

83.26 Intersected the N. S. line 100 lth. N. of post
 broken 3rd rate land Beech, Oak Hickory, Poplar,
 Dogwood Beech Spice &c.

West Corrected between Secs. 23 & 26

41.63 Set of Sec. post. at average dist. from which
 a Beech 10 in. dia. bears N 82 W 25 lth. dist. 4
 a Sugar 12 " " " S 75 E 3 " "
 83 26 to Section Corner

North Between Secs. 22 & 23

25.35 a Beech 18 in. dia.

40.00 Set of Sec. post, from which
 a Sugar 12 in. dia. bears S 3 W 20 lth. dist. 4
 a Beech 6 " " " N 64 W 13 " "

64.40 a No. 12 " "

80.00 Set post Cor. to Secs. 14, 15, 22 & 23, from which
 a Beech 12 in. dia. bears N 82 E 10 lth. dist. 4
 a No. 9 " " " N 70 W 18 " "
 broken Land 3rd rate timber as before -

East On Random between Secs. 14 & 23

40.00 Set temp. of Sec. post

82.96 Intersected the N. & S. line 50 lth. N. of post
 Land timber &c. Same as last mile

West Corrected between Secs. 14 & 23

41.48 Set of Sec. post. at average dist. from which
 a W. Oak 30 in. dia. bears N 63 E 24 lth. dist. 7

ch. 2th *Sg. N. N. 9 E. 2nd Mer. Indiana* 151

82.96 a Hickory 10 in. dia. bears N 37 W 15 lbs. dist. &
To Section Corner

North Between Secs. 14 & 15

31.35 a Beech 14 in. dia. bears

40.00 Set q. Sec. post, from which
a Poplar 48 in. dia. bears S 28 E 17 lbs. dist. &
a Beech 10 " " " N 28 W 27 " "

64.53 a No. 12 " "

80.00 Set post Cor. to Secs. 10, 11, 14 & 15, from which
a Beech 12 in. dia. bears N 51 W 4 lbs. dist. &
a No. 18 " " " S 38 E 28 " "
Broken 3rd rate Land timber Beech, Oak, Poplar,
Hickory &c. undergrowth Dogwood Ironw. Spice.

East On Random between Secs. 11 & 14

40.00 Set temp. q. Sec. post.

83.00 Intersected the N. & S. line 34 lbs. S. of post
Hilly 3rd rate Land timber. Same as last mile.

West Corrected between Secs. 11 & 14.

44.50 Set q. Sec. post, at average dist. from which
a Beech 18 in. dia. bears S 6 W 23 lbs. dist. &
a No. 3 " " " N 10 E 14 " "

83.00 to Section Corner

North Between Secs. 10 & 11

20.00 a Poplar 36 in. dia.

40.00 Set q. Sec. post, from which
a Beech 4 in. dia. bears S 6 W 13 lbs. dist. &
a W. Oak 8 " " " N 9 E 13 " "

45.00 Cropped S. fork of Sand Creek 30 lbs. wide Course W.

66.85 a Beech 16 in. dia.

80.00 Set post Cor. to Secs. 2, 3, 10 & 11, from which
a Beech 15 in. dia. bears S 80 E 7 lbs. dist. &
a No. 12 " " " S 85 W 21 " "

152

Sgt RGE. 2nd Mer. Indianach. 1st 1/2

very Hilly 3rd rate land Beech Oak &c. undergrowth
Dogwood Beech Oak &c.

East On Random between Sec. 2 & 11.

40.00 Set temp. g. Sec. post

42.75 Intersected the N. & S. line 25 lbs. N. of post
Hilly 3rd rate land Beech Poplar &c. Dogwood
Ironwood Spice &c.

West Corrected between Sec. 2 & 11

41.37 Set g. Sec. post, at average dist. from which
a Beech 16 in. dia. bears N 58 W 36 lbs. dist. &
a Do. 9 " " " S 13 W 12 " "

42.75 To Section Corner

North Between Sec. 2 & 3

20.85 a Beech 14 in. dia.

40.00 Set g. Sec. post, from which
a Beech 14 in. dia. bears S 13 E 13 lbs. dist. &
a Do. 7 " " " N 50 W 19 " "

53.00 a W. Ash 10 " "

42.05 Intersected the N. boundary 338 lbs. N. of post
Set post Cor. to Sec. 2 & 3, from which
a Beech 16 in. dia. bears N 5 E 11 lbs. dist. &
a Do. 12 " " " S 20 E 30 " "
Land timber &c. Same as on last mile.

North Between Sec. 33 & 34

25.20 a Beech 12 in. dia. bears

40.00 Set g. Sec. post, from which
a Beech 14 in. dia. bears S 66 W 14 lbs. dist. &
a Do. 5 " " " S 70 E 18 " "

54.60 a W. Oak 48 " "

80.00 Set post Cor to Sec. 27, 28, 33 & 34, from which
a Beech 12 in. dia. bears S 41 E 20 lbs. dist. &
a W. Elm 24 " " " N 6 E 16 " "

Sgt. N. E. 2nd Mer. Indiana 153
ch. lks

Bushes 3rd rate Land Beech Oak Hickory &c. Spice
Dogwood & Beech undergrowth -

East On Random between Secs. 27 & 34.

40.01 Set temp. of. Sec. post

80.72 Intersected the N. & S. line 110 lks. N. of post
first half mile broken last half - flat wet Land
3rd rate Beech Oak Maple Hickory

West Corrected between Secs. 27 & 34.

40.36 Set of. Sec. post at average dist. from which
a Beech 18 in. dia. bears S 61 E 14 lks. dist. &

a Do. 4 " " " S 77 W 9 " "

80.72 to Section Corner

North Between Secs. 27 & 28

20.05 a Beech 12 in. dia.

40.00 Set of. Sec. post, from which

a Beech 14 in. dia. bears N 70 W 23 lks. dist. &

a Do. 18 " " " N 80 E 35 " "

63.50 a Beech 15 " "

80.00 Set post Cor. to Secs. 21, 22, 27 & 28, from which

a Beech 15 in. dia. bears S 31 E 18 lks. dist. &

a Do. 12 " " " N 43 W 19 " "

part level & part broken ground 3rd rate - Beech, Oak,
Hickory Ash &c. undergrowth Dogwood Beech
Ironwood Spice &c.

East On Random between Secs. 22 & 27

40.00 Set temp. of. Sec. post

80.75 Intersected the N. & S. line 100 lks. N. of post.

flat wet Land 3rd rate Beech, Oak, Gum, Maple &c.
no undergrowth

West Corrected between Secs. 22 & 27

40.75 Set of. Sec. post, at average dist. from which

154

Sg. N. R. G. 2^d. Mer. Indiana

ch. l. l. h.

a Beech 7 in. dia. bears N 75 E 25 lks. dist. 4

a No. 12 " " " S 50 W 19 " "

80.75 to Section Corner

North Between Sect. 21 & 22

17.20 a Poplar 24 in. dia.

40.00 Set of Sec. post, from which

a Sugar 14 in. dia. bears S 19 E 10 lks. dist. 4

a Beech 8 " " " S 67 W 15 " "

63.80 a No. 30 "

80.00 Set post Cor. to Sect. 15, 16, 21 & 22, from which

a W. Ash 20 in. dia. bears S 12 E 19 lks. dist. 4

a Beech 5 " " " N 3 W 10 " "

Broken 3^d. rate Land Beech Hickory Oak Poplar
Sugar &c. Dogwood Spice &c.

East On Random between Sect. 15 & 22

40.00 Set temp. of Sec. post.

80.86 Intersected the N. & S. line 1.17 lks. N. of post

Hilly 3^d. rate Land Beech Oak poplar Sugar &c.

Dogwood Ironwood Spice &c.

West Corrected between Sect. 15 & 22

40.43 Set of Sec. post, at average dist. from which

a Sapafas 15 in. dia. bears S 75 W 13 lks. dist. 4

a Beech 12 " " " N 68 E 20 " "

80.86 to Section Corner

North Between Sect. 15 & 16

33.90 a Sugar 20 in. dia.

40.00 Set of Sec. post from which

a Pl. Elm 12 in. dia. bears S 44 E 28 lks. dist. 4

a Beech 8 " " " N 4 E 38 " "

63.90 a Hickory 14 " "

80.00 Set post Cor. to Sect. 9, 10, 15 & 16, from which

a Sycamore 24 in. dia. bears S 25 E 32 lks. dist.

155

Sgt. R. E. D. Mer. Indiana
ch. 67

a W. Elm 24 in. dia. bears N 30 W 33 lbs. dist. &
 broken 2nd rate Land Beech Sugar Ash Elm &c.
 undergrowth Spice

East On Random between Sect. 10 & 15

40.00 Set temp. of. Sec. post

80.93 Intersected the N. & S. line 80 lbs. N. of post.
 very hilly 3rd rate land Beech Oak Poplar &c.
 Redwood Ironwood Spice &c.

West Corrected between Sect. 10 & 15

40.41 Set of. Sec. post, at average dist. from which
 a Beech 16 in. dia. bears N 27 E 38 lbs. dist. &
 a Do. 12 " " S 22 W 29 " "

80.93 to Section Corner

North Between Sect. 9 & 10

5.00 Cropped E. fork of Sand Creek 30 lbs. wide Course S. W.

28.10 a W. Oak 14 in. dia.

40.00 Set of. Sec. post, from which
 a Beech 20 in. dia. bears S 86 W 19 lbs. dist. &
 a Do. 18 " " East 9 " "

54.35 a Beech 16 " "

80.00 Set post Cor. to Sect. 3 & 10, from which
 a Sassafras 14 in. dia. bears S 38 E 14 lbs. dist. &
 a Beech 10 " " S 76 W 16 " "
 Land timber &c. Same as last mile

East On Random between Sect. 3 & 10

40.00 Set temp. of. Sec. post

80.90 Intersected the N. & S. line 75 lbs. S. of post
 Land timber &c. Same as last mile

West Corrected between Sect. 3 & 10

40.45 Set of. Sec. post, at average dist. from which
 a Beech 5 in. dia. bears S 78 W 40 lbs. dist. &

156 Tg M. Rg E. 2^d Mer. Indiana

ch. l. l.

a Beech 9 in. dia. bears S 26 E 25 lks. dist. &
80.90 to Section Corner

North Between between Sect. 3 & 4

17.90 a Beech 12 in. dia.

40.00 Set of Sec. post, from which
a Beech 30 in. dia. bears S 34 W 25 lks. dist. &
a Do. 8 " " " N 23 W 5 " "

61.85 a Beech 30 " "

80.06 Intersected the N. boundary 369 lks. N. of post
Set post Cor. to Sect. 3 & 4, from which
a Beech 14 in. dia. bears S 16 W 24 lks. dist. &
a Do. 12 " " " N 4 W 24 " "
very broken 3rd rate Land Beech, Oak, Poplar
Sugar &c. undergrowth Dogwood Spice brown? &c.

North Between Sect. 32 & 33

15.25 a Beech 12 in. dia.

40.00 Set of Sec. post, from which
a Beech 16 in. dia. bears West 6 lks. dist. &
a W. Elm 12 " " " N 65 E 31 " "

57.00 a Beech 12 " "

80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which
a Beech 10 in. dia. bears N 17 W 20 lks. dist. &
a Do. 24 " " " S 30 E 21 " "
Hilly 3rd rate Land Beech Poplar &c. undergrowth
Dogwood Spice &c.

East On Random between Sect. 28 & 33

40.00 Set temp. of Sec. post

48.00 Enter fallen timber

74.00 leave fallen timber

80.22 Intersected the N. & S. line 268 lks. S. of post.
flat wet Land Beech Hickory Oak &c. Spice &
Dogwood undergrowth

157

Sg. N. R. G. E. 2^d. Mer. Indiana

ch. ch.

West Corrected between Sect. 28 & 33.

40.11 Set of. Sec. post at average dist. from which
a Hickory 24 in. dia. bears N 85 E 25 lbs. dist. &
a Beech 6 " " " S 60 W 18 " "

80.22 to Section Corner

North Between Sect. 28 & 29

14.00 Cropped Sand Creek 75 lbs. wide Course W.

37.00 a Do. " " " " " S. E.

40.00 Set of. Sec. post, from which
a B. Ash 15 in. dia. bears S 52 W 26 lbs. dist. &
a Sugar 18 " " " N 60 E 38 " "

50.00 Cropped Sand Creek Course S. W.

70.00 a Do. " " " " " S. E.

80.00 Corners in Sand Creek Course S. W. no bearings trees
Over Hilly Land and rocky precipices Beech Sugar
Poplar Hickory &c. undergrowth Spice.

East On Random between Sect. 21 & 28.

40.00 Set temp. of. Sec. post

80.140 Intersected the N. & S. line 300 lbs. S. of the post
Hilly 3^d. rate land Beech Oak Hickory &c. Dogwood.
undergrowth -

West Corrected between Sect. 21 & 28

40.20 Set of. Sec. post. at average dist. from which
a Beech 18 in. dia. bears N 19 W 17 lbs. dist. &
a Do. 18 " " " S 69 E 16 " "

80.40 to Section Corner

North Between Sect. 20 & 21.

24.90 a Beech 20 in. dia.

40.00 Set of. Sec. post, from which
a Beech 12 in. dia. bears S 20 W 17 lbs. dist. &
a Do. 18 " " " S 80 E 10 " "

62.70 a Beech 18 " "

T. N. R. G. E. I. Mer. Indiana

ch² 1/2
81.00 Set post Cor. to Secs. 16, 17, 21 & 21, from which
a Beech 15 in. dia. bears S 58 E 28 lbs. dist. &
a No. 18 " " " N 22 W 11 "
Hilly 3" rate Beech land undergrowth Dogwood &c.

East On Random between Secs. 16 & 21
16.00 crossed Sand Creek 6 lbs. wide Course W.
40.00 Set temp. q. Sec. post
80.60 Intersected the N. & S. line 271 lbs. S. of post.
Hilly 3" rate land Beech Poplar Sugar Hickory
undergrowth Spice &c.

West Corrected between Secs. 16 & 21
40.30 Set q. Sec. post, at average dist. from which
a Beech 40 in. dia. bears S 72 W 37 lbs. dist. &
a No. 30 " " " S 40 E 17 " "
64.60 Sand Creek
80.60 to Section Corner

North Between Secs. 16 & 17
33.90 a Sugar 15 in. dia.
40.00 Set q. Sec. post, from which
a Poplar 30 in. dia. bears S 36 E 24 lbs. dist. &
a Beech 15 " " " N 28 W 8 " "
67.90 a No. 18 " "
80.00 Set post Cor. to Secs. 8, 9, 16 & 17, from which
a Beech 18 in. dia. bears S 68 E 24 lbs. dist. &
a Poplar 36 " " " West 17 " "
Land timber &c. Same as last mile.

East On Random between Secs. 9 & 16
36.00 Crossed Sand Creek course S.
40.00 Set temp. q. Sec. post
65.40 Cross E. fork of Sand Creek 60 lbs. wide course S. W.
79.84 Intersected the N. & S. line 287 lbs. S. of post.
first half mile Hilly 3" rate last half mile

159

T. A. R. E. 2nd Mer. Indiana
chth level 2nd rate Beech, Ash, Sugar, poplar, Oak &c.
undergrowth Spice

West Corrected between Secs. 9 & 16

39.92 Set q^r. Sec. post, at average dist. from which
a Beech 30 in. dia. bears N 60 E 21 lks. dist. &
a No. 20 " " " S 20 W 25 " "

79.84 to Section Corner

North Between Secs. 8 & 9

32.66 a Beech 20 in. dia.

40.00 Set q^r. Sec. post. from which
a Sugar 6 in. dia. bears S 81 W 2 lks. dist. &
a Beech 12 " " " N 75 E 9 " "

62.70 a No. 20 " "

80.00 Set post Cor. to Secs. 4, 5, 8 & 9, from which
a Beech 12 in. dia. bears N 30 W 15 lks. dist. &
a No. 15 " " " S 10 W 26 " "
very Hilly 3rd rate land Beech, Ash, Oak
Poplar Sugar underg^t. Spice Dogw? -

East On Prandom between Secs. 4 & 9

16.00 Cropped Sand Creek Course S.

40.00 Set temp^y. q^r. Sec. post

80.06 Intersected the N. & S. line 265 lks. South of post.
Hilly 3rd rate Land timber same

West Corrected between Secs. 4 & 9

40.03 Set q^r. Sec. post, at average dist. from which
a Beech 30 in. dia. bears S 70 E 10 lks. dist. &
a Sugar 15 " " " N 55 W 19 " "

80.06 to Section Corner

North Between Secs. 4 & 5

17.00 a branch 30 lks. wide course S. E.

20.75 a Sugar 20 in. dia.

Sgt. N. G. E. 2^d. Mr. Indiana

ch. lby

40.00 Set q. Sec. post, from which
a Beech 30 in. dia. bears S 69 E 26 lks. dist. &
a B. Walnut 36 " " " S 47 E 36 " "

64.75 a Beech 24 " "

Intersected the N. boundary 290 lks. N. of post.
Set post Cor. to Sec. 4 & 5, from which
a Beech 36 in. dia. bears S 15 W 10 lks. dist. &
a Do. 24 " " " N 40 E 11 " "
Land timber &c. Same as last Mile —

North Between Sec. 31 & 32

25.56 a Maple 18 in. dia.

40.00 Set q. Sec. post, from which
a Beech 4 in. dia. bears East 6 lks. dist. &
a Do. 5 " " " S 43 W 36 " "

64.67 a W. Ash 18 " "

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which
a W. Ash 24 in. dia. bears S 68 E 7 lks. dist. &
a Hornbeam 4 " " " N 65 W 3 " "
flat wet Land 3rd rate timber same as last.
undergrowth same

East On Random between Sec. 29 & 32,

40.00 Set temp. q. Sec. post.

71.00 Cropped Sand Creek Course S. 50 W.

80.62 Intersected the N. & S. line 268 lks. N. of post
first half mile level last 1/2 mile Hilly Land
3rd rate Maple Beech Poplar Hickory &c.
undergrowth Spice

West Corrected between Sec. 29 & 32.

40.81 Set q. Sec. post, at average dist. from which
a Beech 9 in. dia. bears S 53 W 3 lks. dist. &
a Do. 4 " " " N 25 W 13 " "

80.62 to Section Corner

161

Sgt. R. E. 2nd Mer. Indiana

ch. 2. 1/2

West Between Sect. 30 & 31

15.88 a W. Ash 18 in. dia.

40.00 Set of. Sec. post. from which
a Beech 10 in. dia. bears N 35 W 16 lbs. dist. &
a Do. 14 " " " S 78 E 13 " "

57.84 a Lym 12 " "

85.40 Intersected the W. boundary 49 lbs. S. of post.
Set post. Cor. to Sect. 30 & 31, from which
a Sugar 12 in. dia. bears N 12 W 36 lbs. dist. &
a Beech 10 " " " S 18 E 27 " "
Level 2nd rate Land Beech, Sugar, Poplar &c.
undergrowth Spice &c.

North Between Sect. 29 & 30.

20.33 a Gum 12 in. dia.

40.00 Set of. Sec. post. from which
a Beech 5 in. dia. bears N 15 E 15 lbs. dist. &
a Do. 3 " " " S 33 W 3 " "

61.73 a Beech 12 " "

80.00 Set post Cor. to Sect. 19, 20, 29 & 30, from which
a Beech 12 in. dia. bears S 46 W 15 lbs. dist. &
a Hornbeam 4 " " " N 43 E 13 " "
level 2nd rate Ground- Beech Poplar Sugar Oak
Spice undergt. -

East On Random between Sect. 20 & 29.

40.00 Set temp. of. Sec. post

81.76 Intersected the N. & S. line 283 lbs. N. of post
Land broken 3rd rate timber as last mile

West Corrected between Sect. 20 & 29

40.88 Set of. Sec. post. at average dist. from which
a Beech 30 in. dia. bears N 20 E 17 lbs. dist. &
a Do. 16 " " " N 27 W — " "

81.76 to Section Corner

Tgt Rge. 2^d. Mer. Indiana

ch. lks

West Between Sect. 19 & 30

21.88 a W. Ash 15 in. dia.

40.00 Set qf. Sec. post, from which

a W. Elm 16 in. dia. bears S 47 N 12 lks. dist. &

a Beech 10 " " " N 10 E 12 " "

64.88 a Do. 12 " "

84.00 Intersected the W. boundary 5 1/4 lks. S. of post.

Set post cor. to Sect. 19 & 30, from which

a Beech 24 in. dia. bears N 70 E 20 lks. dist. &

a Do. 24 " " " West 15 " "

level 2nd. rate Land Beech, Ash, Sugar Poplar &c.
Spice underg^t. &c.

North Between Sect. 19 & 20.

19.25 a Beech 24 in. dia.

40.00 Set qf. Sec. post, from which

a Beech 12 in. dia. bears S 11 E 10 lks. dist. &

a Do. 10 " " " N 28 E 26 " "

67.70 a W. Oak 60 " "

80.00 Set post cor. to Sect. 17, 18, 19 & 20, from which

a Beech 7 in. dia. bears S 21 N 5 lks. dist. &

a Do. 10 " " " N 40 E 19 " "

level 3rd. rate land Beech, Oak, Poplar, Ash. &c.
underg^t. Ironwood Spice

East On Prandom between Sect. 17 & 20

40.00 Set tempy. qf. Sec. post

81.50 Intersected the N. & S. line 6.00 lks. N. of post.
first half mile level. last half mile broken
Land 3rd. rate Beech Oak Gum Poplar &c.
Spice Dogwood &c.

West Corrected between Sect. 17 & 20

40.75 Set qf. Sec. post, at average dist. from which

a Beech 18 in. dia. bears N 18 E 21 lks. dist. &

a Do. 30 " " " S 12 N 21 " "

163

ch. 1st 1/2
Sgt. R. E. D. Mer. Indiana
81.50 to Section Corner

West Between Sec. 18 & 19

25.00 a Beech 30 in. dia.

40.00 Set of Sec. post. from which
a Beech 20 in. dia. bears South 5 lks. dist. &
a No. 18 " " " N 15 E 35 " "

61.50 a Beech 20 " "

83.90 Intersected the W. boundary 200 lks. S. of post.

Set post Cor. to Sec. 18 & 19, from which
a Beech 14 in. dia. bears N 30 E 29 lks. dist. &

a No. 16 " " " S 25 W 40 " "
level 2nd rate Land Beech, Poplar, Ash, Gum,
Spice undergrowth -

North Between Sec. 17 & 18

20.30 a W. Oak 20 in. dia.

40.00 Set of Sec. post. from which
a Beech 10 in. dia. bears S 45 W 18 lks. dist. &
a No. 8 " " " S 64 E 11 " "

57.40 a Poplar 60 " "

80.00 Set post Cor. to Sec. 7, 8 17 & 18, from which
a Hickory 15 in. dia. bears S 25 E 28 lks. dist. &

a W. Ash 20 " " " N 20 E 7 " "

Land timber same as last mile

East On Random between Sec. 8 & 17

40.00 Set temp. of Sec. post

82.00 Intersected the N. & S. line 278 lks. S. of post.
Hilly 3rd rate Land timber &c same as on
the last mile

West Corrected between Sec. 8 & 17

41.00 Set of Sec. post. at average dist. from which

82.50 a Sugar 12 in. dia. bears S 75 E 18 lks. dist. &

a Beech 12 " " " N 72 W 10 " "

T9 N R9 E. 2nd. Mer. Indiana

ch. 16

82.00 to Section Corner

West Between Sect. 7 & 18

26.05 a Beech 12 in. dia.

40.00 Set q. Sec. post, from which
a Gum 36 in. dia. bears West 6 ch. dist. &
a Beech 8 " " " N 5 E 2 " "

60.60 a No. 30 " "

83.00 Intersected the W. boundary 38 ch. S. of post.
Set post Cor. to Sect. 7 & 18, from which
a Beech 32 in. dia. bears N 45 W 8 ch. dist. &
a No. 10 " " " S 70 E 14 " "
Level 2nd rate land Beech, Oak, Ash, Sugar &c.
undergrowth Spice -

North Between Sect. 7 & 8

22.90 a Sugar 12 in. dia.

40.00 Set q. Sec. post, from which
a Beech 10 in. dia. bears S 79 W 35 ch. dist. &
a No. 16 " " " N 78 E 6 " "

60.10 a Poplar 18 " "

80.00 Set post Cor. to Sect. 5, 6, 7, & 8, from which
a Poplar 48 in. dia. bears S 78 W 27 ch. dist. &
a W. Elm 9 " " " S 73 E 16 " "
very hilly 3rd rate Land Beech Oak Poplar &c.
Logwood Spice &c.

East On Random between Sect. 5 & 8.

40.00 Set temp. q. Sec. post

82.00 Intersected N & S line 295 ch. N. of post.
Hilly 3rd rate land Beech, Oak, Ash, Hickory
&c. undergrowth Logwood

West Corrected between Sect. 5 & 8

41.00 Set q. Sec. post at average dist. from which
a Beech 24 in. dia. bears N 15 E 28 ch. dist. &

Sgt Rg E. J. Mer. Indiana 165
ch 2th
a Beech 20 m. dist. by N 70 W 20 l. m. dist
82.00 to Sec. Corner

North Between Sec. 6 & 7
27.50 a Beech 24 m. dist.
40.00 At gr. Sec. post, from which
a W. Oak 24 m. dist. by N 66 E 22 l. m. dist. &
a Beech 7 " " " N 20 W 18 " "
61.15 a Hickory 18 " "
81.35 Intersected N. Boundary 170 l. m. S. of post
At post Cor. to Sec. 6 & 7, from which
a Gum 12 m. dist. by N 41 W 26 l. m. dist. &
a Beech 14 " " " S 71 E 34 " "
First 1/2 mile hill - last 1/2 flat 3rd rate land
Beech, Oak, Hickory, Poplar, Oak, Gum &c
undergth, Logwood & Spruce

North Between Sec. 5 & 6
17.65 a Beech 12 m. dist.
40.00 At gr. Sec. post, from which
a W. Oak 60 m. dist. by N 74 W 31 l. m. dist. &
a Poplar 48 " " " N 76 E 25 " "
63.35 a Beech 14 " "
82.50 Intersected N. Boundary 638 l. m. N. of post
At post Cor. to Sec. 5 & 6, from which
a Beech 12 m. dist. by S 62 W 22 l. m. dist. &
a Do. 12 " " " S 50 E 12 " "
Broken 3rd rate land, timber Beech, Oak
Poplar &c, undergth. Logwood, Spruce &c.
December 1st 1819
Pethuel F. Morris,
Deputy Surveyor

I Certify that the foregoing transcript of field notes
of Township N: 9 N. Range N: 9 E. T. Mer. Indiana,
has been compared with the Original Notes in this Office,
and found to be Correct.

Surveyor General's Office
Cincinnati Oct. 27th 1842

William Johnston
Sur. Genl.